

Especificación XSD completa del esquema

```
<?xml version="1.0" encoding="windows-1252"?>
<xs:schema id="VodSchema" xmlns=""
xmlns:xs="http://www.w3.org/2001/XMLSchema">
<xs:element name="VodData">
  <xs:complexType>
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element ref="AdditionalMaterial" />
      <xs:element ref="Supra" />
      <xs:element ref="Series" />
      <xs:element ref="Content" />
    </xs:choice>
    <xs:attribute name="creationDate" type="xs:dateTime"
      use="required"/>
    <xs:attribute name="catalog" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="20"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="provider" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="100"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="linkedChannel" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="20"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>

<xs:element name="Supra">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="ExternalId">
        <xs:simpleType>
```

```

        <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element ref="Title" minOccurs="1" maxOccurs="2"/>
<xs:element name="Synopsis">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="254"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="Resena">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="170"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="Description" minOccurs="0" maxOccurs="1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="4000"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="ContentGenre" type="xs:string" />
<xs:element name="ContentGenre2" type="xs:string" minOccurs="0"
maxOccurs="1"/>
<xs:element name="ContentGenre3" type="xs:string" minOccurs="0"
maxOccurs="1"/>
<xs:element ref="AdicionalMaterialRef" minOccurs="0"
maxOccurs="unbounded" />
<xs:element name="IdImdb" minOccurs="0" maxOccurs="1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="30"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="id" use="required">
    <xs:simpleType>
        <xs:restriction base="xs:string">

```

```
        <xs:maxLength value="30"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="Series">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="ExternalId">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element ref="Title" minOccurs="1" maxOccurs="2"/>
      <xs:element name="Synopsis">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="254"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Resena">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="170"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Description" minOccurs="0" maxOccurs="1">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="4000"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="ContentGenre" type="xs:string" />
      <xs:element name="ContentGenre2" type="xs:string" minOccurs="0"
maxOccurs="1"/>
      <xs:element name="ContentGenre3" type="xs:string" minOccurs="0"
maxOccurs="1"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

```

<xs:element name="SecondsDuration" type="xs:unsignedShort"/>
<xs:element name="Season" minOccurs="0" maxOccurs="1">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element ref="CastMember" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="Year" type="xs:unsignedShort"
minOccurs="0"/>
<xs:element name="Rating">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="6"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Countries" minOccurs="1" maxOccurs="1">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="2000"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="DuracionMedia" type="xs:unsignedLong" minOccurs="0"
maxOccurs="1"/>
<xs:element name="Target" minOccurs="0" maxOccurs="1">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="APINF04"/>
      <xs:enumeration value="APINF47"/>
      <xs:enumeration value="APINF712"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="PeriodicidadEstreno" minOccurs="0" maxOccurs="1">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="1"/>
      <xs:enumeration value="2"/>
      <xs:enumeration value="3"/>
      <xs:enumeration value="4"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```
        </xs:simpleType>
    </xs:element>
    <xs:element name="ModoPublicacion" minOccurs="0" maxOccurs="1">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="1"/>
                <xs:enumeration value="2"/>
                <xs:enumeration value="3"/>
                <xs:enumeration value="4"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="SupraRef">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:maxLength value="30"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element ref="AdicionalMaterialRef" minOccurs="0"
maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="id" use="required">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="30"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="AdditionalMaterial">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="ExternalId">
                <xs:simpleType>
                    <xs:restriction base="xs:string">
                        <xs:maxLength value="50"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element name="Type">
                <xs:simpleType>
```

```
<xs:restriction base="xs:string">
  <xs:enumeration value="T"/>
  <xs:enumeration value="VP"/>
  <xs:enumeration value="E"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element ref="Title" minOccurs="1" maxOccurs="2"/>
<xs:element name="SecondsDuration" type="xs:unsignedLong"/>
<xs:element ref="VodItem" minOccurs="1" maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="id" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="AdicionalMaterialRef">
  <xs:complexType>
    <xs:attribute name="id" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="30"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="type" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="2"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>
```

```
<xs:element name="Title">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="locale" default="es_ES">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:maxLength value="5" />
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element>

<xs:element name="CastMember">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Name">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="100"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Role">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="6"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Character" minOccurs="0" maxOccurs="1">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="100"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Image" minOccurs="0" maxOccurs="1">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="2000"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

```
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="CharacterImage" minOccurs="0" maxOccurs="1">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="2000"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
  <xs:attribute name="id" use="required">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="100"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="ContentDescriptors">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Descriptor" minOccurs="0" maxOccurs="unbounded">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="100"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element name="Content">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="ExternalId">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="50"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

```

</xs:element>
<xs:element ref="Title" minOccurs="1" maxOccurs="2"/>
<xs:element name="Synopsis">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="254"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Resena">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="170"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Description" minOccurs="0" maxOccurs="1">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="4000"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="ContentGenre" type="xs:string" />
<xs:element name="ContentGenre2" type="xs:string" minOccurs="0"
maxOccurs="1"/>
<xs:element name="ContentGenre3" type="xs:string" minOccurs="0"
maxOccurs="1"/>
<xs:element name="SecondsDuration" type="xs:unsignedShort"/>
<xs:element name="ExpiryDate" type="xs:dateTime"/>
<xs:element name="SeriesRef" minOccurs="0" maxOccurs="1">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Number" type="xs:unsignedShort"
minOccurs="0" maxOccurs="1"/>
<xs:element ref="CastMember" minOccurs="0" maxOccurs="unbounded"/>
<xs:element ref="ContentDescriptors" minOccurs="0" maxOccurs="1"/>
<xs:element name="Year" type="xs:unsignedShort"
minOccurs="0" maxOccurs="1"/>
<xs:element name="Rating">
  <xs:simpleType>

```

```

        <xs:restriction base="xs:string">
            <xs:maxLength value="6"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="Countries" minOccurs="1" maxOccurs="1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="2000"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="Tags" minOccurs="0" maxOccurs="unbounded">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="2000"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="Awards" minOccurs="0" maxOccurs="unbounded">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="2000"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="D2Go">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:enumeration value="S"/>
            <xs:enumeration value="N"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="SupraRef" minOccurs="0" maxOccurs="1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="30"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element ref="AdicionalMaterialRef" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="IdImdb" minOccurs="0" maxOccurs="1">

```

```

    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="30"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element ref="VodItem" minOccurs="1" maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="id" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="VodItem">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Version" minOccurs="0" maxOccurs="1">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:enumeration value="VE"/>
            <xs:enumeration value="DUAL"/>
            <xs:enumeration value="DUAL TXT"/>
            <xs:enumeration value="DUAL TXT+SRD"/>
            <xs:enumeration value="VE SRD"/>
            <xs:enumeration value="VO"/>
            <xs:enumeration value="ADDUAL-TXT"/>
            <xs:enumeration value="ADDUAL-TXT+SRD"/>
            <xs:enumeration value="DUAL TXT(X2)"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="VideoFormat" minOccurs="0" maxOccurs="1">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:enumeration value="4:3 Fullscreen"/>
            <xs:enumeration value="4:3 Letterbox"/>
            <xs:enumeration value="16:9 Fullscreen"/>
            <xs:enumeration value="16:9 Safearea"/>
            <xs:enumeration value="HD Fullscreen"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

        <xs:enumeration value="HD Safearea"/>
        <xs:enumeration value="UHD SDR"/>
        <xs:enumeration value="UHD HDR"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element ref="Period"/>
<xs:element name="TipoDerecho" default="PAYTV/CATCHUP">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:enumeration value="PAYTV/CATCHUP"/>
            <xs:enumeration value="SVOD"/>
            <xs:enumeration value="PAYTV/CATCHUP;SVOD"/>
            <xs:enumeration value="SVOD;PAYTV/CATCHUP "/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element ref="AudioTrack" minOccurs="1" maxOccurs="unbounded"/>
<xs:element ref="SubtitleTrack" minOccurs="0" maxOccurs="unbounded"/>
<xs:element ref="MediaSource"/>
<xs:element ref="Markers" minOccurs="0" maxOccurs="1"/>
</xs:sequence>
<xs:attribute name="id" use="required">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="30"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="Period">
    <xs:complexType>
        <xs:attribute name="start" type="xs:dateTime" use="required"/>
        <xs:attribute name="end" type="xs:dateTime" use="required"/>
        <xs:attribute name="comingSoon" type="xs:dateTime" />
    </xs:complexType>
</xs:element>

<xs:element name="AudioTrack">
    <xs:complexType>
        <xs:attribute name="order" type="xs:unsignedShort"
            use="required"/>

```

```
<xs:attribute name="audioType" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="Mono"/>
      <xs:enumeration value="Stereo"/>
      <xs:enumeration value="Dolby E/5.1+2"/>
      <xs:enumeration value="Dolby Atmos"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="language">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="3"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

<xs:element name="SubtitleTrack">
  <xs:complexType>
    <xs:attribute name="order" type="xs:unsignedShort"
      use="required"/>
    <xs:attribute name="language">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="3"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="hearingImpaired" type="xs:boolean"
      default="false"/>
    <xs:attribute name="fileName">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="250"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>

<xs:element name="MediaSource">
```

```
<xs:complexType>
  <xs:sequence>
    <xs:element name="MediaId">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:maxLength value="250"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="TCIn" type="xs:unsignedLong"/>
    <xs:element name="FrameDuration" type="xs:unsignedLong"/>
    <xs:element name="Version" minOccurs="0" maxOccurs="1">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="VE"/>
          <xs:enumeration value="DUAL"/>
          <xs:enumeration value="DUAL TXT"/>
          <xs:enumeration value="DUAL TXT+SRD"/>
          <xs:enumeration value="VE SRD"/>
          <xs:enumeration value="VO"/>
          <xs:enumeration value="ADDUAL-TXT"/>
          <xs:enumeration value="ADDUAL-TXT+SRD"/>
          <xs:enumeration value="DUAL TXT(X2)"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="VideoFormat" minOccurs="0" maxOccurs="1">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="4:3 Fullscreen"/>
          <xs:enumeration value="4:3 Letterbox"/>
          <xs:enumeration value="16:9 Fullscreen"/>
          <xs:enumeration value="16:9 Safearea"/>
          <xs:enumeration value="HD Fullscreen"/>
          <xs:enumeration value="HD Safearea"/>
          <xs:enumeration value="UHD SDR"/>
          <xs:enumeration value="UHD HDR"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element ref="AudioTrack" minOccurs="1" maxOccurs="unbounded"/>
    <xs:element ref="SubtitleTrack" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
```

```
</xs:element>
<xs:element name="Markers">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Marker" minOccurs="0" maxOccurs="unbounded">
        <xs:complexType>
          <xs:attribute name="type" use="required">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="10"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:attribute>
          <xs:attribute name="tc" type="xs:unsignedLong" use="required"/>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element name="ArtWorks">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Artwork" minOccurs="0" maxOccurs="unbounded">
        <xs:complexType>
          <xs:attribute name="type" use="required">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:enumeration value="H"/>
                <xs:enumeration value="P"/>
                <xs:enumeration value="M"/>
                <xs:enumeration value="F"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:attribute>
          <xs:attribute name="fileName">
            <xs:simpleType>
              <xs:restriction base="xs:string">
                <xs:maxLength value="250"/>
              </xs:restriction>
            </xs:simpleType>
          </xs:attribute>
          <xs:attribute name="url">
            <xs:simpleType>
```

```
<xs:restriction base="xs:string">
  <xs:maxLength value="2000"/>
</xs:restriction>
</xs:simpleType>
</xs:attribute>
<xs:attribute name="contentRef" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>
```